



Certificate of Analysis

Company: Green Mountain Gardens Sample ID: Viking

Lot: 2023-02 **Report Date:** 11/6/2023

Matrix: Flower Date Analyzed: 10/31/2023

Customer ID: 221010-1 Date Sampled: N/A Analyst: 045
Grower License #: SCLT0110 Date Received: 10/23/2023 Report ID: C231023AD

Terpenes Summary

		ı	
Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
α- Pinene	0.010	3.897	0.390
Camphene	0.010	0.040	0.004
β-Myrcene	0.010	7.014	0.701
b-Pinene	0.010	1.460	0.146
3-Carene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
α-Terpinene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Limonene	0.010	2.051	0.205
ρ-Cymene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Ocimene	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Eucalyptol	0.010	0.165	0.017
Y-Terpinene	0.010	0.020	0.002
Terpinolene	0.010	0.040	0.004
Linalool	0.010	0.056	0.006
Isopulegol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Geraniol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene	0.010	5.173	0.517
α-Humulene	0.010	2.187	0.219
Trans-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Cis-Nerolidol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Guaiol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Caryophyllene Oxide	0.010	0.064	0.006
α-Bisabolol	0.010	<loq< th=""><th><loq< th=""></loq<></th></loq<>	<loq< th=""></loq<>
Total Terpenes		22.167	2.217

12.16%

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Percent Moisture Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory.

This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by:



Luke Emerson Mason (Laboratory Director, Bia Diagnostics)